

# Ramik<sup>®</sup> Mole and Gopher

Fish Flavored, Weather-Resistant Rodenticide

Kills Moles\* and Gophers

Intended for Residential Use

**Do Not Sell In Individual Containers Containing More Than 1 Pound of Product.**

\*Not Approved for this Use Pattern in the following states: California, Hawaii, New Hampshire, and Indiana.

For use only against the eastern mole (*Scalopus aquaticus*) and the hairy-tailed mole (*Parascalops breweri*) in North Carolina.

Not for use against the star-nosed mole (*Condylura cristata parva*) in North Carolina.

**ACTIVE INGREDIENT:**

Diphacinone

(2-Diphenylacetyl-1,3-Indandione).....0.005%

**OTHER INGREDIENTS:**.....99.995%

**TOTAL:** .....100.000%

EPA Reg. No. 61282-65

EPA Est. No. 61282-WI-01

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**FIRST AID**

**HAVE LABEL WHEN OBTAINING TREATMENT  
ADVICE**

<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center, or doctor, or <b>1-800-498-5743</b> immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center, or doctor, or <b>1-800-498-5743</b> immediately for treatment advice.</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center, or doctor, or <b>1-800-498-5743</b> immediately for treatment advice.</li> </ul>

**NOTE TO PHYSICIAN**

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub>, intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

**TREATMENT FOR PET POISONING**

If animal eats bait, call veterinarian or **1-800-498-5743** at once.

**NOTE TO VETERINARIAN**

**Anticoagulant Diphacinone:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>.

**For 24-hour emergency information on this product, call  
1-800-498-5743 (US & Canada) or 1-651-523-0318 (all  
other areas).**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Keep away from children, domestic animals and pets. Wear waterproof gloves made of barrier laminate, polyethylene, butyl rubber (≥14 mils), nitrile rubber (≥14 mils), neoprene rubber (≥14 mils), natural rubber (≥14 mils), polyvinyl chloride (≥14 mils), or Viton (≥14 mils). Any person who retrieves carcasses or unused bait following bait application must wear waterproof gloves.

Wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals, birds and other wildlife. Dogs, cats and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow bait to be exposed on soil surface. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment wash water or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this label and follow all use directions, use restrictions, and use precautions.

**USE RESTRICTIONS:**

- This product may only be applied at the use sites and by the application methods indicated on this label.
- This product may only be used to control moles or pocket gophers in manual, below-ground applications. There are State-specific limitations on use of this product to control moles.
- Bait must be applied directly into moles' or pocket gophers' burrow systems.
- Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.
- Do not apply this product in gardens where food or feed may become contaminated.
- Do not apply this product by means of an artificial burrow builder.

**MOLES**

*Not approved for the control of moles in the following States:*

*California, Hawaii, Indiana, and New Hampshire  
For use only against the eastern mole (Scalopus aquaticus) and the Hairy-tailed mole (Parascalops breweri) in North Carolina.*

*Not for use against the star-nosed mole (Condylura cristata parva) in North Carolina*

**Lawns**

The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to flower bulbs.

**Surface Ridges:** Prior to treatment, determine which tunnels are active by pressing down (flattening) on a small section of the tunnel or by removing a one-inch section of the tunnel's roof. Mark these disturbed sections and recheck them in 24 hours. The tunnel is considered to be active if the flattened runway has been raised up or its roof has been repaired. Only treat active tunnels. Using a long-handled spoon, carefully punch a hole in the top of each active tunnel, insert a teaspoon of bait product, and carefully reclose the hole with sod or a stone. Do not collapse the tunnel again or allow loose soil to cover the bait. Using this method, treat all active tunnels at intervals of 10 to 15 feet. After a few days, check to see if the tunnels still are active by using one of the two methods described above. Retreat the tunnels that remain active.

**Conical Mounds:** Using a long-handled spoon, carefully remove the center plug from each conical mound. Through the hole just created, drop a teaspoon of bait into the underground tunnel. Close the opening with a rock or sod. Do not allow loose dirt to cover bait. Treat all conical mounds in this manner. If mole activity persists several days after one treatment, additional treatments may be made at intervals of 3 to 4 days.

**Flower Bulb Protection (Fall Planted)**

Pack about one-quarter inch of soil against each flower bulb. Place several pellets at sides of and around each bulb. Then, cover the bulbs with soil.

**POCKET GOPHERS**

**Lawns**

Burrowing pocket gophers (*Thomomys* spp. and *Geomys* spp.) throw out low, fan-shaped mounds on either side of their underground tunnels. These lateral tunnels that come to the surface are on the flat side of the fan and are plugged with soil. With a long-handled spoon, carefully remove the plug. Insert 4 ounces of this product as far down the lateral tunnel as possible. Reclose the opening, being careful not to cover the bait with soil.

**FOLLOW-UP (Moles and Pocket Gophers)**

Wearing waterproof gloves, collect and dispose of all dead, exposed animals and dispose of leftover bait in accordance with the disposal directions on this label. Use detergent and hot water to wash spoons. Do not use spoon for mixing, holding, or transferring food or feed. If reinfestation occurs, repeat treatment.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**Pesticide Storage:** Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.  
**Pesticide Disposal:** Nonrefillable container. Do not refill this container.  
*If Empty:* Place in trash or offer for recycling if available.  
*If Partially Filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**DISCLAIMER**

**DISCLAIMER:** To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

**OR**

**LIMITED WARRANTY**

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

**OR**

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent permitted by applicable law Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. To the extent permitted by applicable law, MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent permitted by applicable law, in no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF THE MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information),  
Call: **1-800-621-8829**

\*Not Approved for this Use Pattern in the following states: California, Hawaii, New Hampshire, and Indiana. For use only against the eastern mole (*Scalopus aquaticus*) and the hairy-tailed mole (*Parascalops breweri*) in North Carolina. Not for use against the star-nosed mole (*Condylura cristata parva*) in North Carolina.

This specimen label is intended for use only as a guide in providing general information regarding the directions, warning and cautions associated with the use of this product. As with any pesticide, always follow the label instructions on the package before using.

**Manufactured By:  
HACCO, Inc.  
110 Hopkins Drive  
Randolph, WI 53956 U.S.A.**

Ramik® is a Registered Trademark of Neogen Corporation.

- Optional Marketing Statements:** Mole Silhouette Graphic  
Gopher Silhouette Graphic  
Weather-Resistant Bait  
Palatable Bait  
Palatable Pellets  
Weather-Resistant, Palatable Bait  
Easy Application  
Contains Diphacinone  
Helps Stop Damage Caused by Moles  
Helps Stop Damage Caused by Pocket Gophers  
Made in the U.S.A.  
<American Flag Graphic>  
HACCO, Inc. is a Wholly Owned Subsidiary of Neogen Corporation.



Code (NE.RA.) NE.RA.

Item No.: 116309  
Net Contents: 1 pound  
UPC: 0 23626 02430 (4)  
Format: UPC-A  
Label: BK 220385

Item No.: 116309  
Net Contents: 12 x 1 pound  
UPC: 000 23626 02435 (9)  
Format: Interleaved 2-of-5  
Label: Case