

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

BioSentry® X-185™

Revision 0
Revision date 2018-10-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	BioSentry® X-185™
Product code	D12670638, D12670644

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);
Description	Disinfectant. Cleaner.

1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshler Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com

1.4. Emergency telephone number

Emergency telephone number	1-800-234-5333
----------------------------	----------------

Further information


Manufactured By:	HACCO, Inc. 110 Hopkins Dr. Randolph, WI 53956-1316 U.S.A.
Hotline(s):	HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation. Medical: United States (1-800-498-5743), International (1-651-523-0318). Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - GHS	Flam. Liq. 3: H226; Skin Corr. 1B: H314; Aquatic Chronic 3: H412;
-----------------------------	---

2.2. Label elements

Hazard pictograms	
-------------------	---

BioSentry® X-185™

Revision 0
Revision date 2018-10-16

2.2. Label elements

Signal Word	Danger
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/ . P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire: Use to extinguish.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal plant (in accordance with local/regional/national/international regulation).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5		1 - 10%	Skin Corr. 1A: H314;
Cresylic acid. (Cresol)		1319-77-3	215-293-2		20 - 30%	Acute Tox. 3: H301; Acute Tox. 3: H311; Skin Corr. 1B: H314; Eye Dam. 1: H318;
Isopropanol (2-Propanol)	603-117-00-0	67-63-0	200-661-7		10 - 20%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Dodecylbenzenesulphonic acid		27176-87-0	248-289-4		1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314;
2-Phenylphenol (ISO)	604-020-00-6	90-43-7	201-993-5		1 - 10%	Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Aquatic Acute 1: H400;
Ortho-benzyl para-chlorophenol		120-32-1			1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Acute Tox. 4: H332; STOT SE 3: H335; STOT RE 2: H373;
Bis(tributyltin) oxide		56-35-9	200-268-0		0.5 - 1%	Acute Tox. 3: H301; Acute Tox. 3: H311; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT RE 1: H372; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

BioSentry® X-185™

Revision 0
Revision date 2018-10-16

Further information

	The exact percentage (concentration) of composition has been withheld as a trade secret.
--	--

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING unless advised to do so by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Wear self contained breathing apparatus and protective clothing.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.
--	--

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	--

6.4. Reference to other sections

	See section 2, 8, & 13 for further information.
--	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

BioSentry® X-185™

Revision 0
Revision date 2018-10-16

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.

7.3. Specific end use(s)

See section 1.2 for further information.

SECTION 8: Exposure controls/personal protection


8.1. Control parameters

Occupational exposure controls.

Exposure Limit Values

Isopropanol (2-Propanol)	ACGIH TLV TWA: 200 ppm Notations: A4 OSHA PEL 8hr TWA mg m3: 980 NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: 400 ppm OSHA PEL 8hr TWA ppm: 400 Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:
Sodium hydroxide	ACGIH TLV TWA: - Notations: - OSHA PEL 8hr TWA mg m3: 2 NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: C 2 mg/m ³ OSHA PEL 8hr TWA ppm: - Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:

8.2. Exposure controls

	
Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Wear protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Hand protection	Wear suitable gloves.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
Occupational exposure controls	Keep away from food, drink and animal feed and/ or feed products.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

BioSentry® X-185™

Revision 0
Revision date 2018-10-16

9.1. Information on basic physical and chemical properties

State	Liquid
Color	Amber
Odor	Characteristic
Odour threshold	No data available
pH	12 - 13
Melting point	No data available
Freezing Point	No data available
Boiling point	101 °C
Flash point	28 °C
Evaporation rate	No data available
Flammability limits	Not applicable.
Vapor pressure	No data available
Vapor density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Bulk Density	8.68 - 8.76
VOC (Volatile organic compounds)	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

10.4. Conditions to avoid

	Avoid sparks, flames, heat and sources of ignition.
--	---

10.6. Hazardous decomposition products

	No data is available on this product.
--	---------------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Causes burns.
Serious eye damage/irritation	Causes severe inflammation and may damage the cornea.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112.

BioSentry® X-185™

Revision 0
Revision date 2018-10-16

11.1. Information on toxicological effects

Repeated or prolonged exposure	Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.
	Avoid prolonged or repeated exposure.

11.1.4. Toxicological information

Isopropanol	Oral Rat LD50: 4396 mg/kg
-------------	---------------------------

SECTION 12: Ecological information

12.1. Toxicity

Sodium hydroxide	Fish LC50/96h: 125.000000 mg/l	Rainbow trout LC50/96h: 45.4 mg/l
------------------	--------------------------------	-----------------------------------

12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

Partition coefficient

	BioSentry® X-185™ No data available
--	-------------------------------------

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of in compliance with all local and national regulations.
--	---

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
--	--

SECTION 14: Transport information

Hazard pictograms

--	--

14.1. UN number

	UN2924
--	--------

14.2. UN proper shipping name

	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL CRESOLS (MIX))
--	---

14.3. Transport hazard class(es)

DOT	3
Subsidiary risk	8
IMDG	3

BioSentry® X-185™

Revision 0
Revision date 2018-10-16

14.3. Transport hazard class(es)

Subsidiary risk	8
IATA	3
Subsidiary risk	8

14.4. Packing group

Packing group	III
---------------	-----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

DOT

Hazard ID	38
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-C
----------	---------

IATA

Packing Instruction (Cargo)	365
Maximum quantity	60 L
Packing Instruction (Passenger)	354
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.</p> <p>Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.</p> <p>US State Regulations: New Jersey Right-to-Know Hazardous Substance List: Bis(tributyltin) oxide, Cresylic acid</p> <p>Pennsylvania Right-to-Know Hazardous Substance List: Bis(tributyltin) oxide, Cresylic acid.</p> <p>Rhode Island Right-to-Know Hazardous Substance List: Bis(tributyltin) oxide, Cresylic acid.</p>
--------------------	---

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Sodium hydroxide (Sodium hydroxide (Na(OH)))	Y	N	N	N	N	N	Y	N	N
Isopropanol (2-Propanol)	Y	N	Y 1.0	N	N	N	N	N	N
2-Phenylphenol (ISO) ([1,1'-Biphenyl]-2-ol)	Y	Y	Y 1.0	Y	N	N	N	N	N

SECTION 16: Other information

BioSentry® X-185™

Revision 0
 Revision date 2018-10-16

Other information

Text of Hazard Statements in Section 3	<p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 4: H302 - Harmful if swallowed. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life. Acute Tox. 4: H332 - Harmful if inhaled. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure . Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p>
---	--

Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.</p> <p>Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.</p>
--	--