

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

Cycle One

Revision 0
Revision date 2018-11-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Cycle One
Product code	601045, 301045

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);
Description	Cleaner.

1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshler Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com

1.4. Emergency telephone number

Emergency telephone number	1-800-234-5333
----------------------------	----------------

Further information

Manufactured By:	Preserve International 944 Nandino Blvd. Lexington, KY 40511-1205 U.S.A.
Hotline(s):	Preserve International is a wholly-owned subsidiary of Neogen Corporation. Medical: United States (1-800-498-5743), International (1-651-523-0318). Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - GHS	Ox. Liq. 1: H271; Skin Corr. 1A: H314;
-----------------------------	--

2.2. Label elements

Hazard pictograms	 
-------------------	---

Cycle One

Revision 0
Revision date 2018-11-08

2.2. Label elements

Signal Word	Danger
Hazard Statement	Ox. Liq. 1: H271 - May cause fire or explosion; strong oxidiser. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 - Keep/Store away from clothing//combustible materials. P221 - Take any precaution to avoid mixing with combustibles P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P283 - Wear fire/flame resistant/retardant clothing.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P306+P360 - IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P310 - Immediately call a POISON CENTER/doctor/ . P321 - Specific treatment (see on this label). P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire: Use to extinguish. P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Hydrogen peroxide solution...%	008-003-00-9	7722-84-1	231-765-0		1 - 10%	Ox. Liq. 1: H271; Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Corr. 1A: H314;
Methanesulphonic acid	607-145-00-4	75-75-2	200-898-6		30 - 40%	Skin Corr. 1B: H314;
Sulphuric acid...% (Sulfuric acid)	016-020-00-8	7664-93-9	231-639-5		20 - 30%	Skin Corr. 1A: H314;
Alcohols, C12-18, ethers w polyethylene glycol mono-Bu ether		146340-16-1			1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;

Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to respiratory system. Move the exposed person to fresh air.
-------------------	---

Cycle One

Revision 0
Revision date 2018-11-08

4.1. Description of first aid measures

Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Immediate medical attention is required.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Seek medical attention.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes severe burns. Risk of serious damage to eyes.
Skin contact	Causes severe burns.
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

	Remove the affected person from the source of contamination immediately. If you feel unwell, seek medical advice (show the label where possible). Seek medical attention if irritation or symptoms persist.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	STRONG OXIDIZER, CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. Heat will increase pressure in sealed containers. Cool fire exposed containers with waterspray. Burning produces irritating, toxic and obnoxious fumes.
--	--

5.3. Advice for firefighters

	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Avoid contact with eyes and skin. Wash hands after handling the product. Ensure adequate ventilation of the working area. Wear suitable protective clothing, gloves and eye/face protection. Wear suitable respiratory equipment when necessary.
--	--

6.2. Environmental precautions

	Prevent further spillage if safe. Do not flush into surface water.
--	--

6.3. Methods and material for containment and cleaning up

	Absorb spillage to prevent material damage. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.
--	--

6.4. Reference to other sections

	See section 2, 8, and 13 for further information.
--	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear suitable gloves and eye/face protection. Avoid contact with eyes, skin or clothing. Wash hands
--	---

Cycle One

Revision 0
Revision date 2018-11-08

7.1. Precautions for safe handling

	after handling the product. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Ensure adequate ventilation of the working area.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep only in the original container in a cool, well-ventilated place away from excessive heat or cold. Keep away from combustible material. Contact with combustible material may cause fire. Keep away from sources of ignition - No smoking.
--	--

7.3. Specific end use(s)

	See section 1.2 for further information.
--	--

Further information

	Follow label instructions. When mixing, always add product to water, never in reverse order. Adding water to product may cause extreme heat and toxic fumes.
--	--


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limit Values

Sulphuric acid...% (Sulfuric acid)	ACGIH TLV TWA: 0.2 mg/m ³ (T)	ACGIH TLV STEL: -
	Notations: A2 (M)	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 1	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

8.2. Exposure controls

	
Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use as appropriate: Protective clothing.
Eye / face protection	Wear eye/face protection.
Skin protection - Hand protection	Wear suitable gloves.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Keep away from food, drink and animal feed and/ or feed products.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Cycle One

Revision 0
Revision date 2018-11-08

9.1. Information on basic physical and chemical properties

State	Liquid
Color	Dark yellow/Orange
Odor	Slight
Odour threshold	No data available
pH	< 1
Melting point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability limits	Not applicable.
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.13 - 1.16 (H ₂ O = 1 @ 20 °C)
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

VOC (Volatile organic compounds)	No data available
---	-------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

	STRONG OXIDIZER, CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE.
--	--

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Contact with combustible material may cause fire. Keep away from incompatible materials.
--	--

10.4. Conditions to avoid

	Keep away from heat. Heat will increase pressure in sealed containers.
--	--

10.5. Incompatible materials

	Contact with combustible material may cause fire.
--	---

10.6. Hazardous decomposition products

	Carbon oxides. Hydrocarbons.
--	------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Causes severe burns. May cause degreasing of the skin.
Serious eye damage/irritation	Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.

Cycle One

Revision 0
Revision date 2018-11-08

11.1. Information on toxicological effects

Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.

11.1.4. Toxicological information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

12.2. Persistence and degradability

	No data available.
--	--------------------

12.3. Bioaccumulative potential

	No data available.
--	--------------------

Partition coefficient

	Cycle One No data available	Sulphuric acid...% Not relevant
--	------------------------------------	--

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of in compliance with all. local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes.
--	--

Disposal methods

	Contact a licensed waste disposal company. Do not contaminate water by cleaning of equipment or disposal of wastes.
--	---

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
--	--

SECTION 14: Transport information

Hazard pictograms

--	--

14.1. UN number

	UN3098
--	--------

14.2. UN proper shipping name

	OXIDIZING LIQUID, CORROSIVE, N.O.S. (Hydrogen peroxide, Sulfuric acid)
--	--

14.3. Transport hazard class(es)

DOT	5.1
------------	-----

Cycle One

Revision 0
Revision date 2018-11-08

14.3. Transport hazard class(es)

Subsidiary risk	8
IMDG	5.1
Subsidiary risk	8
IATA	5.1
Subsidiary risk	8

14.4. Packing group

Packing group	I
---------------	---

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

DOT

Hazard ID	-
Tunnel Category	(E)

IMDG

EmS Code	F-A S-Q
----------	---------

IATA

Packing Instruction (Cargo)	553
Maximum quantity	2.5 L
Packing Instruction (Passenger)	FORBIDDEN
Maximum quantity	FORBIDDEN

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.</p> <p>All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.</p> <p>US State Regulations: New Jersey Right-to-Know Hazardous Substance List: Hydrogen peroxide, Sulfuric acid</p> <p>Pennsylvania Right-to-Know Hazardous Substance List: Hydrogen peroxide, Sulfuric acid.</p> <p>Rhode Island Right-to-Know Hazardous Substance List: Hydrogen peroxide, sulfuric acid.</p> <p>California Prop 65: WARNING: Cancer - www.P65Warnings.ca.gov.</p>
-------------	---

Inventories

Cycle One

Revision 0
Revision date 2018-11-08

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Hydrogen peroxide solution...% (Hydrogen peroxide (H2O2))	Y	N	N	N	N	N	N	Y 1,000	Y 1,000
Methanesulphonic acid (Methanesulfonic acid)	Y	N	N	N	N	N	N	N	N
Sulphuric acid...% (Sulfuric acid)	Y	Y	Y 1.0	N	N	N	Y	Y 1,000	Y 1,000

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3	<p>Ox. Liq. 1: H271 - May cause fire or explosion; strong oxidiser.</p> <p>Ox. Liq. 2: H272 - May intensify fire; oxidiser.</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.</p> <p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Acute Tox. 4: H332 - Harmful if inhaled.</p> <p>STOT SE 3: H335 - May cause respiratory irritation.</p>
---	---

Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.</p> <p>Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.</p>
--	--