

## SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

### Sure Stop Plus

Revision 0  
Revision date 2018-11-27

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Sure Stop Plus
Product code	680011, 380011

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);
Description	Cleaner.

##### 1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshler Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com

##### 1.4. Emergency telephone number

Emergency telephone number	1-800-234-5333
----------------------------	----------------

##### Further information

Manufactured By:	Preserve International 944 Nandino Blvd. Lexington, KY 40511-1205 U.S.A.
Hotline(s):	Preserve International is a wholly-owned subsidiary of Neogen Corporation. Medical: United States (1-800-498-5743), International (1-651-523-0318). Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - GHS	Skin Corr. 1B: H314; STOT SE 3: H335; Aquatic Chronic 3: H412;
-----------------------------	--

##### 2.2. Label elements

##### Hazard pictograms



# Sure Stop Plus

Revision 0  
Revision date 2018-11-27

## 2.2. Label elements

<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
<b>Precautionary Statement: Prevention</b>	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/ . P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P321 - Specific treatment (see on this label). P363 - Wash contaminated clothing before reuse.
<b>Precautionary Statement: Storage</b>	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Phosphoric acid...% (Phosphoric acid)	015-011-00-6	7664-38-2	231-633-2		10 - 20%	Skin Corr. 1B: H314;
Alkyl Dimethyl Benzyl Ammonium Chloride		68391-01-5			1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314;
Copper sulphate	029-004-00-0	7758-98-7	231-847-6		1 - 10%	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Glutaral (Glutaraldehyde)	605-022-00-X	111-30-8	203-856-5		0.5 - 1%	Acute Tox. 2: H330; Acute Tox. 3: H301; STOT SE 3; H335; Skin Corr. 1B: H314; Resp. Sens. 1: H334; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

#### Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	May cause irritation to respiratory system. Move the exposed person to fresh air.
-------------------	---

# Sure Stop Plus

Revision 0  
Revision date 2018-11-27

## 4.1. Description of first aid measures

Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Immediate medical attention is required.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Seek medical attention.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes severe burns. Risk of serious damage to eyes.
Skin contact	Causes severe burns.
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.

## 4.3. Indication of any immediate medical attention and special treatment needed

	Remove the affected person from the source of contamination immediately. If you feel unwell, seek medical advice (show the label where possible). Seek medical attention if irritation or symptoms persist.
--	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Heat will increase pressure in sealed containers. Cool fire exposed containers with waterspray. Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.
--	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Avoid contact with eyes and skin. Wash hands after handling the product. Ensure adequate ventilation of the working area. For large spills: Wear suitable protective clothing and eye/face protection.
--	--

### 6.2. Environmental precautions

	Prevent further spillage if safe. Do not flush into surface water. Do not let product contaminate subsoil.
--	--

### 6.3. Methods and material for containment and cleaning up

	Absorb spillage to prevent material damage. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.
--	--

### 6.4. Reference to other sections

	See section 2, 8, and 13 for further information.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear suitable gloves and eye/face protection. Avoid contact with eyes, skin or clothing. Wash hands after handling the product. Wash hands before eating, drinking, chewing gum, using tobacco or
--	---

# Sure Stop Plus

Revision 0  
Revision date 2018-11-27

## 7.1. Precautions for safe handling

using the toilet. Ensure adequate ventilation of the working area.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well-ventilated place away from excessive heat or cold.

## 7.3. Specific end use(s)

See section 1.2 for further information.


## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limit Values

Glutaral (Glutaraldehyde)	<p>ACGIH TLV TWA: -</p> <p>Notations: SEN; A4</p> <p>OSHA PEL 8hr TWA mg m3: -</p> <p>NIOSH REL 10hr TWA ppm: -</p> <p>NIOSH REL 15 min ST ppm: -</p>	<p>ACGIH TLV STEL: C 0.05 ppm</p> <p>OSHA PEL 8hr TWA ppm: -</p> <p>Skin Designation: -</p> <p>NIOSH REL 10hr TWA mg m3: -</p> <p>NIOSH REL 15 min ST mg m3: -</p>
Phosphoric acid...% (Phosphoric acid)	<p>ACGIH TLV TWA: 1 mg/m<sup>3</sup></p> <p>Notations: -</p> <p>OSHA PEL 8hr TWA mg m3: 1</p> <p>NIOSH REL 10hr TWA ppm: -</p> <p>NIOSH REL 15 min ST ppm: -</p>	<p>ACGIH TLV STEL: 3 mg/m<sup>3</sup></p> <p>OSHA PEL 8hr TWA ppm: -</p> <p>Skin Designation: -</p> <p>NIOSH REL 10hr TWA mg m3: -</p> <p>NIOSH REL 15 min ST mg m3: -</p>

### 8.2. Exposure controls

	
Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use as appropriate: Protective clothing.
Eye / face protection	Wear eye/face protection.
Skin protection - Hand protection	Wear suitable gloves.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Keep away from food, drink and animal feed and/ or feed products.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

## Sure Stop Plus

Revision 0  
Revision date 2018-11-27

## 9.1. Information on basic physical and chemical properties

<b>State</b>	Liquid
<b>Color</b>	Dark green
<b>Odor</b>	Mild/Characteristic
<b>Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	No data available
<b>Odour threshold</b>	No data available
<b>pH</b>	1 - 2
<b>Melting point</b>	42 °C
<b>Freezing Point</b>	No data available
<b>Boiling point</b>	No data available
<b>Flash point</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Flammability limits</b>	Not applicable.
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Solubility</b>	Soluble in water

## 9.2. Other information

<b>Specific gravity</b>	1.11 - 1.15
<b>VOC (Volatile organic compounds)</b>	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	Keep away from incompatible materials.
--	--

## 10.4. Conditions to avoid

	Keep away from heat. Heat will increase pressure in sealed containers.
--	--

## 10.5. Incompatible materials

	Strong oxidizing agents. Alkali metals. Finely powdered metals. Organic materials.
--	--

## 10.6. Hazardous decomposition products

	Carbon oxides. Hydrogen gas. Phosphine gas. Oxides of phosphorus.
--	---

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

<b>Acute toxicity</b>	Harmful if swallowed.
<b>Skin corrosion/irritation</b>	Causes burns.
<b>Serious eye damage/irritation</b>	Causes burns.

## Sure Stop Plus

Revision 0  
Revision date 2018-11-27

## 11.1. Information on toxicological effects

Respiratory or skin sensitisation	May cause sensitization by skin contact.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.

## 11.1.4. Toxicological information

	No data available
--	-------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

	No data available
--	-------------------

## 12.2. Persistence and degradability

	No data available.
--	--------------------

## 12.3. Bioaccumulative potential

	No data available.
--	--------------------

## Partition coefficient

	<b>Sure Stop Plus</b> No data available
--	---

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Dispose of in compliance with all. local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes.
--	--

## Disposal methods

	Contact a licensed waste disposal company. Do not contaminate water by cleaning of equipment or disposal of wastes.
--	---

## Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
--	--

## SECTION 14: Transport information

## Hazard pictograms

	
--	---

## 14.1. UN number

	UN1760
--	--------

## 14.2. UN proper shipping name

	CORROSIVE LIQUID, N.O.S. (Phosphoric acid solution)
--	---

## Sure Stop Plus

Revision 0  
Revision date 2018-11-27

## 14.3. Transport hazard class(es)

DOT	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

## 14.4. Packing group

Packing group	II
---------------	----

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## DOT

Hazard ID	80
Tunnel Category	(E)

## IMDG

EmS Code	F-A S-B
----------	---------

## IATA

Packing Instruction (Cargo)	855
Maximum quantity	30 L
Packing Instruction (Passenger)	851
Maximum quantity	1 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.</p> <p>All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.</p> <p>US State Regulations:</p> <p>New Jersey Right-to-Know Hazardous Substance List: Phosphoric acid</p> <p>Pennsylvania Right-to-Know Hazardous Substance List: Phosphoric acid.</p> <p>Rhode Island Right-to-Know Hazardous Substance List: Phosphoric acid.</p>
-------------	--

## Inventories

## Sure Stop Plus

Revision 0  
Revision date 2018-11-27

## Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Phosphoric acid...% (Phosphoric acid)	Y	Y	N	N	N	N	Y	N	N
Copper sulphate (Sulfuric acid copper(2+ salt (1:1))	Y	N	N	N	N	N	Y	N	N
Glutaral (Pentanedial)	Y	N	N	N	N	N	N	N	N

## SECTION 16: Other information

## Other information

Text of Hazard Statements in Section 3	
	<p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Aquatic Acute 1: H400 - Very toxic to aquatic life.</p> <p>Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p> <p>Acute Tox. 3: H301 - Toxic if swallowed.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Acute Tox. 2: H330 - Fatal if inhaled.</p> <p>Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>STOT SE 3: H335 - May cause respiratory irritation.</p> <p>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</p>

## Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.</p> <p>Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.</p>
--	--